

MAI4CAREU

Master programmes in Artificial
Intelligence 4 Careers in Europe




University
of Cyprus

University of Cyprus

MAI645 - Machine Learning for Graphics and Computer Vision

Andreas Aristidou, PhD


Spring Semester 2023



Character Animation



How does the magic happen?





How do we make this movie?



Uncharted 4: <https://youtu.be/zL46dpNEPPA>

Modeling

- Geometry
- Materials
- Lighting

Animation



- How do they move?

Rendering

- Shadows
- Camera
- Special effects
- Post-processing

Motivation

- Bring Animated characters to life
 - Animator analogous to film actors
- Many applications use **character** or **object** animation
 - Entertainment technology (e.g., films, games)
 - Virtual, or augmented reality
 - Simulations, demonstrations, or training systems
- Other forms of animation?
 - Trees, liquids, animals, clouds, etc.
- Other Important factors in character animation
 - Lighting, Rendering, etc.






Introduction to Animation



Moving Picture & Animation

- The perception of motion is based on two optical illusions, the phi phenomenon and beta movement.
 - **phi** is an optical illusion whereas we perceive motion from fast luminous impulses in sequence. Our visual system “fills in” the missing information.
 - **beta** movement is the illusion of motion created when stimuli changes position in a sequence of images. Instead of being perceived as a series of images we perceive movement.
 - Quick succession of images (frames) causes this sensation of movement (1/25sec)

Phi
Phenomenon




Beta
Movement



Moving Picture & Animation

- Below 16 images/sec flicker is observed.
- Movies play at 24 images/sec.
- ~10 images/sec still provide sensation of movement.
- Traditional animation was created “on twos”
 - A new image every second frame.
- Faster motions are executed “on ones”
 - A new image every frame.




Moving Picture & Animation

AncientMagicToys.com



Moving Picture & Animation



Moving Picture & Animation

- Senior animators draw keyframes (important/extreme shots)
- Junior animators (inbetweeners) fill in the in-between frames




A cartoon animation may require thousands of hand-drawn images

What is Computer Animation?

- **Computer Animation** is the branch of computer graphics interested in developing techniques for creating moving images.
- Computer Animation is the modernized brother of traditional animation.




Character rigging & skinning




Rigging

- 3D **rigging** is the process of creating a skeleton for a 3D model so it can move.
- A 'rig' has numerous degrees of freedom (DOFs) that can be used to control various properties.
- One character could have several rigs. One rig could control several characters...




Rigging: *The Rig*

- A skeletal system (**rig**) is comprised of kinematic chains:
 - A hierarchical set of interconnected bones
 - A chain:
 - starts from a **root**,
 - it has multiple **bones**,
 - connected by **joints**, and
 - ends at the **end-effector**.





Rigging: *The Rig*

- A skeleton allows higher-level control of the character's animation.
- The skeleton is only a control mechanism – it is not rendered into the final image.
- Typically, there are many constraints.




Rigging: *The Rig*




Skinning

- Skinning.
 - Attach a mesh (“**skin**”) to the skeletal system of the character.
- The **skin** is represented as a polygon mesh, e.g., a set of vertices, or a parametric surface




Skinning: *The Skin*

- We **bind** the skeleton to the mesh when we first associate them.
 - The **T-pose** (or “**bind pose**”) refer to the initial transformation matrices of the rig and skin when they are first associated.
 - The T-pose defines a coordinate system used later when animating the skin via the skeleton.
 - The T-pose is a convention used because:
 - modeling the mesh and the skeleton is easier, using symmetry.
 - rigging is much easier when the limbs are spread apart.



Skinning: *The Skin*

- Each vertex is associated with a bone in the skeleton, and moves relative to that bone.
- Each vertex is multiplied by several “weighted” transformation matrices that provide the influence factor each bone has to the vertex, and the results are added together.
 - The skin’s vertices can then be assigned weights.
 - Rigid skinning: 1 bone per vertex (weight = 1.0)
 - Smooth skinning: Multiple bones per vertex (weights $\neq 1.0$)



Texture





Skeletal Animation



What 3D character animation involves?

Animating characters can be broken down to:

- **Skeletal animation** – animating their main body parts.



What 3D character animation involves?

Animating characters can be broken down to:


- **Skeletal animation** – animating their main body parts.
- **Facial animation** – animating their facial features.





What 3D character animation involves?

Animating characters can be broken down to:

- **Skeletal animation** – animating their main body parts.
- **Facial animation** – animating their facial features.
- **Hair (and fur) animation**








Skeletal Animation: *Keyframing*



Skeletal Animation: *Physics-based animation*



We present a control system based on 3D muscle actuation



Computer generated animation: *Motion Capture*

Optical Motion Capture



- The system combines the information of the tracked markers to describe the 3D position of the object
 - Repeat this operation several times per second the system can provide us the volumetric trajectory of the marker according to time and space (usually from 30Hz to 960Hz)
- Great naturalness and realism in the captured movements.
 - High quality recording
 - Capturing of both main and secondary movements
 - Ease of use (Skeletal geometry is given)
- Capture volume is the physical space where the cameras can combine their fields of view




Computer generated animation: *Motion Capture*

Optical Motion Capture

- Each person wears a suit with markers attached.
- Enters a space that is surrounded with cameras.
- Divided into two main categories: **passive** and **active**



Motion Capture pipeline



Other popular motion capture systems

Inertial Markers

- Micro-inertial sensors, biomechanical models and sensor fusion algorithms.
- Use a number of gyroscopes and accelerometers to measure rotational rates.
- These rotations are translated to a skeleton model.

Depth-Based

- Use a combination of color cameras and depth sensors.
 - the subject's silhouette is captured from multiple angles.
- Reconstruct the object's volume (mesh) from the point clouds.
- Fit a skeleton into the 3D model to estimate motion.

Vision-Based

- Use a single or multiple RGB cameras
- Mainly based on deep-learning methods
- Use large amount of training motion data



Fusion4D

Real-time Performance Capture of Challenging Scenes

Mingsong Dou, Sameh Khamis, Yury Degtyarev, Philip Davidson*, Sean Ryan Fanello*, Adarsh Kowdle*, Sergio Orts Escolano*, Christoph Rhemann*, David Kim, Jonathan Taylor, Pushmeet Kohli, Vladimir Tankovich, Shahram Izadi

*equal contribution

MICROSOFT RESEARCH
contact: shahrami@microsoft.com

MonoPerfCap: Human Performance Capture from Monocular Video

(with voiceover)

Weipeng Xu¹ Avishek Chatterjee¹ Michael Zollhöfer¹ Helge Rhodin²
Dushyant Mehta¹ Hans-Peter Seidel¹ Christian Theobalt¹

¹Max Planck Institute for Informatics, Saarland Informatics Campus ²EPFL





Motion Capture: *Current technological trends*





Why 3D?





3D scanning and animation



More Examples



Motion Capture Data


- Depending on the sensors used
- Popular file formats:
 - ASF/AMC (Acclaim's skeleton and motion capture files)
 - BVH (BioVision Hierarchy)
 - C3D (Coordinate 3D – biomechanics – C3D.org)

Motion Capture Data: *BVH format*


```

HIERARCHY
ROOT Hips
{
  OFFSET 0.00000 0.00000 0.00000
  CHANNELS 6 Xposition Yposition Zposition Zrotation Yrotation Xrotation
  JOINT LHipJoint
  {
    OFFSET 0 0 0
    CHANNELS 3 Zrotation Yrotation Xrotation
    JOINT LeftUpLeg
    {
      OFFSET 3.13874 -1.57224 1.49786
      CHANNELS 3 Zrotation Yrotation Xrotation
      JOINT LeftLeg
      {
        OFFSET 2.10955 -5.79594 0.00000
        CHANNELS 3 Zrotation Yrotation Xrotation
        JOINT LeftFoot
        {
          OFFSET 2.41843 -6.64458 0.00000
          CHANNELS 3 Zrotation Yrotation Xrotation
          JOINT LeftToeBase
          {
            OFFSET 0.04713 -0.12948 1.66229
            CHANNELS 3 Zrotation Yrotation Xrotation
            End Site
            {
              OFFSET 0.00000 -0.00000 0.85167
            }
          }
        }
      }
    }
  }
}
JOINT RHipJoint
{
  OFFSET 0 0 0
  CHANNELS 3 Zrotation Yrotation Yrotation

```



Motion Capture Data: *SMPL format*



Motion Capture: *Advantages*

- Great naturalness and realism in the movements that have been recorded.
 - High-quality recording
 - Recording of both primary and secondary movements
- Recording at a very high frequency
 - Up to 980 samples per second (e.g., birds)
- Ease of use
 - Geometry is a given.
 - Freedom of movement for users

Motion Capture: *Limitations*


- Only realistic motion captured (movement that does not follow the laws of physics cannot be captured).
 - Cartoony or superhero animations are not possible to be captured.
- WYSIWYG (what you see is what you get).
 - Can't add more expression.
 - Continually need to recapture motion.
- What about muscles?



Animators could use more than 750 controls to create Shrek's performance. Some controlled one joint or muscle, others controlled groups of several.



Some home-built motion capture systems



Some home-built motion capture systems

GET TO KNOW: YOUR ADVISOR'S **NEGATION FIELD**


A Professor's Negation Field is the unexplained phenomenon whereby mere spatial proximity to an experimental set-up causes all working demonstrations to fail, despite the apparent laws of Physics or how many times it worked right before he/she walked into the room.

BEWARE ALSO: The Sphere of Death. Allowing your experiment within arm's reach of your Advisor risks the possibility of immediate destruction.

JORGE CHAM © 2007

WWW.PHDCOMICS.COM

Other Challenges: *Motion Retargeting*



Other Challenges: *Motion Retargeting*

What is motion retargeting?



- A method to retarget animations onto models with different morphologies.
- A way to remap animations onto characters with very different animation-specific structures.



Other Challenges: *Motion Retargeting*


Why Motion Retargeting?

- Improves content reuse.
- Easy integration of procedurally generated animations.
- Sometimes is not possible to motion capture the subject (e.g. animal with human behavior, character does not exist – fiction movies).



Other Challenges: *Motion Retargeting*



- Preserve angles or end-effector positions (flying).
- Foot-skating.
- Characters with different proportions may have body penetration.







Our Dance Motion Capture Database




1st Antikristos



Zumba



Our Dance Motion Capture Database



Our Dance Motion Capture Database



Our Dance Motion Capture Database







Deep Character Animation




Deep Neural Networks




Convolutional Neural Networks (CNNs)



Recurrent Neural Networks (RNNs)




auto-conditional LSTM



Generative Adversarial Networks (GANs)

Motivation


Character Animation with Deep Learning




Motivation

Common Pose Representations


Positional



Angular




Hybrid



Motivation


Common Pose Representations

Positional




- Euclidean joint locations [Zhou et al., 2018]
- Motion Capture markers [Zhang et al., 2020]

Angular



- Exponential Maps
- Quaternions
- Euler angles
- Rotation Matrices
- Ortho6D [Zhou et al., 2019]

Hybrid




- Positional and angular
- Joint velocities/accelerations [Holden et al., 2017]
- * Angular representations with positional losses [Aberman et al., 2020]

Motivation


Common Pose Representations

Positional



- ✓ Intuitive
- ✓ Visual result
- ✗ Not straightforward to apply to different characters


Angular



- ✓ Disentangle shape/skeletal proportions
- ✓ Convenient to work with
- ✗ Common rotation representations are discontinuous [Zhou et al., 2019]
- ✗ Error accumulation [Pavlo et al., 2018]

Method

Error accumulation along kinematic tree




Problem: Error accumulation along chain

- Angular representation causes problems in optimization-based methods
- Angular representations are often paired with loss that averages errors over joints
- Skeleton is a connected graph
- Ignores the fact that prediction errors of different joints have varying impact on qualitative results

Motivation


Common Pose Representations

Positional




- ✓ Intuitive
- ✓ Visual result
- ✗ Not straightforward to apply to different characters

Angular



- ✓ Disentangle shape/skeletal proportions
- ✓ Convenient to work with
- ✗ Common rotation representations are discontinuous [Zhou et al., 2019]
- ✗ Error accumulation [Pavlo et al., 2018]

Hybrid



- ✓ Combinations of positional + angular work better
- ✓ Angular representations can be paired with positional losses (requires FK)
- ✗ Excessive information
- ✗ Correspondence often ignored
- ✗ Positional losses hinder the rotational information

Deep Neural Networks


How to get a continuous representation in neural networks?

Let's say that the

- mapping to the original space $\mathbf{f} : \mathbf{R} \rightarrow \mathbf{X}$, and
- mapping to the representation space $\mathbf{g} : \mathbf{X} \rightarrow \mathbf{R}$.

We can say (\mathbf{f}, \mathbf{g}) is a good *representation* if for every $\mathbf{x} \in \mathbf{X}$; $\mathbf{f}(\mathbf{g}(\mathbf{x})) = \mathbf{x}$, that is, \mathbf{f} is a left inverse of \mathbf{g} .

We can say the representation is continuous if \mathbf{g} is continuous.




*more details in [Zhou et al. 2018]


Positional Data

Have been used on early machine learning approaches

- **Advantages:** Good in continuity
- **Disadvantages :** (a) Ambiguity problems → cannot describe the full human motion articulation, (b) Skeletal model violations





[Cao et al. 2018]




Euler Angles

Rotate the angles of γ , β and α along the X , Y and Z axes from the reference frame.



Euler Angles: *Limitations*

- Gimbal Lock
- Discontinuity
- Singularities that cause learning problems



Quaternions



- Mathematical abstractions alternative to Euler Angles
- Revised and Formulated by Sir William R. Hamilton in 1843
- 4-D complex numbers
 - With one real axis
 - And three imaginary axes, the basis vectors

$\mathbf{i}, \mathbf{j}, \mathbf{k}$

How are quaternions represented?

$$\mathbf{q} = (w, \mathbf{V}) = w + x\mathbf{i} + y\mathbf{j} + z\mathbf{k}$$

$$\mathbf{q} = (q_0, \mathbf{V}) = q_0 + q_1\mathbf{i} + q_2\mathbf{j} + q_3\mathbf{k} \quad \text{or}$$




Hamilton Math Inst.,
Trinity College

Motion representation in popular works

In an attempt to overcome these limitations, the character animation community proposed some alternatives/improvements:


Training using only positional data:

- Zhou et al. 2018. Auto-Conditioned Recurrent Networks for Extended Complex Human Motion Synthesis. International Conference on Learning Representations



Positional data, with bone length constraints:

- Holden et al. 2016. A deep learning framework for character motion synthesis and editing. ACM Trans. Graphics.
- Wang et al. 2021. Spatio-temporal manifold learning for human motions via long-horizon modelling. IEEE Trans. Visualization and Computer Graphics.



Quaternions, with a Forward Kinematic layer so as to add a positional loss:

- Harvey et al. 2020. Robust Motion In-betweening. ACM Trans. Graphics.
- Aberman et al. 2020. Skeleton-Aware Networks for Deep Motion Retargeting. ACM Trans. Graphics.

Pavlo et al. 2018. QuaterNet: A Quaternion-based Recurrent Model for Human Motion. British Machine Vision Conference



Quaternions, amended with positional data:

- Park et al. 2021. Diverse Motion Stylization for Multiple Style Domains via Spatial-Temporal Graph-Based Generative Model. ACM Comput. Graph. Interact. Tech.

**Diverse Motion Stylization for Multiple Style Domains via
Spatial-Temporal Graph-Based Generative Model**

(Supplementary material)

Full demo

Quaternions, amended with positional data, and motion dynamics:

- Holden et al. 2021. Learned Motion Matching. ACM Trans. Graphics
- Starke et al. 2021. Neural Animation Layering for synthesizing martial arts movements. ACM Trans. Graphics
- Starke et al. 2021. Neural state machine for character-scene interactions. ACM Trans. Graphics

Learned Motion Matching

Daniel Holden
UBISOFT
LA FORGE

Oussama Kanoun
UBISOFT
LA FORGE

Maksym Perepichka
Concordia

Tiberiu Popa
Concordia

Method

Dual Quaternion Representation

- Hybrid representation based on Dual Quaternions
- Unified entity

$$q = q_r + \epsilon q_d \text{ where } \epsilon^2 = 0$$

rotation

translation


- More compact than homogeneous transformation matrix (8 values per joint) and efficient [Kenwright et al., 2012]
- Well-established mathematical properties



Method


Dual Quaternion Representation

- Can be defined in a root-centered coordinate system mitigating common problems such as error accumulation along the kinematic chain [Pavlo et al., 2018]




Method


Losses



Deep character animation networks




Holden et al., 2016




Holden et al., 2017

Deep character animation networks




Alexanderson et al., 2020

Deep character animation networks




Ling et al., 2021

Deep character animation networks



Frangiadaki et al. 2015



Zhou et al. 2018

Many challenges in Character Animation have been re-defined

Rigging/Skinning

Motion Synthesis

Motion in-betweening

Motion Control

Motion Retargeting

Style Transfer

Audio/music-driven synthesis

Text-to-animation

etc.



Research in our lab







MotionNet


MotionNet: 3D Human Motion Reconstruction from Monocular Video with Skeleton Consistency

by M. Shi, K. Aberman, A. Aristidou, T. Komura, D. Lischinski, D. Cohen-Or, B. Chen
ACM Transactions on Graphics





[Pavlo et al., CVPR 2019]



Use IK to convert the 3d
position to rotation

[VNect, Mehta et al., SIGGRAPH 2017]


Apply rigging to make the rotation
to a consistent skeleton

[HMR, Kanazawa et al., CVPR 2018]

The Key Idea:

What is the common representation of motion in MoCap datasets?

BVH - the most used output format of MoCap system




Initial pose with a hierarchical structure

Frames: 2
Frame Time: 0.04166667

-9.533684	4.447926	-0.566564	-7.757381	-1.735414	89.207932	9.763572
	6.289016	-1.825344	-6.106647	3.973667	-3.706973	-6.474916
	-14.391472	-3.461282	-16.504230	3.973544	-3.805107	22.204674
	2.533497	-28.283911	-6.862538	6.191492	4.448771	-16.292816
	2.951538	-3.418231	7.634442	11.325822	5.149696	-23.069189
	-18.352753	15.051558	-7.514462	8.397663	2.953842	-7.213992
	2.494318	-1.543435	2.970936	-25.086460	-4.195537	-1.752307
	7.093068	-1.507532	-2.633332	3.858087	0.256802	7.892136
	12.803010	-28.692566	2.151862	-9.164188	8.006427	-5.641034
	-12.596124	4.366460				

Time-framed joint information(rotation)



⊕: Forward kinematics

MotioNet: 3D Human Motion Reconstruction from Monocular Video with Skeleton Consistency

MINGYI SHI, Shandong University, China, and AICFVE, Beijing Film Academy, China
 KFIR ABERMAN, AICFVE, Beijing Film Academy, China, and Tel-Aviv University, Israel
 ANDREAS ARISTIDOU, University of Cyprus and RISE Research Centre, Cyprus
 TAKU KOMURA, Edinburgh University, Japan
 DANI LISCHINSKI, Shandong University, China and The Hebrew University of Jerusalem, Israel and AICFVE, Beijing Film Academy, Israel
 DANIEL COHEN-OR, Tel-Aviv University, Israel, and AICFVE, Beijing Film Academy, Israel
 BAOQUAN CHEN, CFCS, Peking University, China, and AICFVE, Beijing Film Academy, China



Fig. 1. Given a monocular video of a performer, our approach, MotioNet, reconstructs a complete representation of the motion, consisting of a single symmetric skeleton, and a sequence of global root positions and 3D joint rotations. Thus, inverse kinematics is effectively integrated within the network and is data-driven rather than based on a universal prior. The images on the right were rendered from the output of our system after a simple rigging process.

We introduce *MotioNet*, a deep neural network that directly reconstructs the motion of a 3D human skeleton from a monocular video. While previous methods rely on either rigging or inverse kinematics (IK) to associate a consistent skeleton with temporally coherent joint rotations, our method is the first data-driven approach that directly outputs a kinematic skeleton, which is a complete, commonly used motion representation. At the crux of our approach lies a deep neural network with embedded kinematic priors, which decomposes sequences of 2D joint positions into two separate attributes: a single, symmetric skeleton encoded by bone lengths, and a sequence of 3D joint rotations associated with global root positions

This work was supported in part by the National Key R&D Program of China (2018YFB1403900, 2019YFF0302902), the Israel Science Foundation (grant no. 2366/16), and by the European Union's Horizon 2020 Research and Innovation Programme under Grant Agreement No 739578 and the Government of the Republic of Cyprus through the Directorate General for European Programmes, Coordination and Development.

Authors' addresses: M. Shi, Shandong University, AICFVE, Beijing Film Academy; email: irubbly@gmail.com; K. Aberman, AICFVE, Beijing Film Academy, Tel-Aviv University; A. Aristidou, University of Cyprus, 75, Kallipoleos, Nicosia, Cyprus, 1678, RISE Research Centre; email: a.aristidou@ieec.org; T. Komura, Edinburgh University; D. Lischinski, Shandong University, The Hebrew University of Jerusalem, AICFVE, Beijing Film Academy; D. Cohen-Or, Tel-Aviv University, AICFVE, Beijing Film Academy; B. Chen (corresponding author), CFCS, Peking University, AICFVE, Beijing Film Academy; email: baoquan@pku.edu.cn.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2020 Association for Computing Machinery.
 0730-0301/2020/09-ART1 \$15.00
<https://doi.org/10.1145/3407659>

and foot contact labels. These attributes are fed into an integrated forward kinematics (FK) layer that outputs 3D positions, which are compared to a ground truth. In addition, an adversarial loss is applied to the velocities of the recovered rotations to ensure that they lie on the manifold of natural joint rotations. The key advantage of our approach is that it learns to infer natural joint rotations directly from the training data rather than assuming an underlying model, or inferring them from joint positions using a data-agnostic IK solver. We show that enforcing a single consistent skeleton along with temporally coherent joint rotations constrains the solution space, leading to a more robust handling of self-occlusions and depth ambiguities.

CCS Concepts: • **Computing methodologies** → **Motion processing; Neural networks**;



Additional Key Words and Phrases: Pose estimation, motion capturing, motion analysis

ACM Reference format:



Mingyi Shi, Kfir Aberman, Andreas Aristidou, Taku Komura, Dani Lischinski, Daniel Cohen-Or, and Baoquan Chen. 2020. MotioNet: 3D Human Motion Reconstruction from Monocular Video with Skeleton Consistency. *ACM Trans. Graph.* 40, 1, Article 1 (September 2020), 15 pages. <https://doi.org/10.1145/3407659>

1 INTRODUCTION

Capturing the motion of humans has long been a fundamental task with a wide spectrum of applications in data-driven computer animation, special effects, gaming, activity recognition, and behavioral analysis. Motion is most accurately captured in a controlled setting using specialized hardware, such as magnetic



Results



Motion Analysis

Emotion and Style



Maori wedding (Haka)

<https://youtu.be/QUbx-AcDgXo>

**Emotions through
dance**

[https://youtu.be/
m0R-ftFBm38](https://youtu.be/m0R-ftFBm38)




Human Motion Style



Happy



Depressed



Style is an **abstract** attribute

Related Work

Model **style**, which is **not well-defined**, as some **hand-crafted representations**, such as,

- Difference in spectral domain.
- Physical parameters of human body.
- Low-level features based on the LMA theories on human analysis

Related Work


Data Driven

Learn the mapping based on **labeled & paired motion data**.

- limited to **structurally similar** motions in the dataset
- limited to a **pre-defined set** of styles in mocap data
- limited to **style recorded by MoCap** systems


Inspiration from Image Style Transfer

Adaptive Instance Normalization (**AdaIN**) layer - spatially invariant, maintains geometry, manipulates style.



$$\text{AdaIN}(x, y) = \sigma(y) \left(\frac{x - \mu(x)}{\sigma(x)} \right) + \mu(y)$$


[Huang and Belongie, 2017]



Geometry and shapes are preserved


Adapting to **motion?**

Adaptive Instance Normalization (AdaIN)





Shape of signal is preserved

Architecture



Loss Terms







\tilde{x}^S reconstructs x^S ?

Loss Terms

Push embeddings of the same style closer to each other.



Results

Style Input (proud)



Content Input



Unpaired Motion Style Transfer from Video to Animation

KFIR ABERMAN*, AICFVE, Beijing Film Academy & Tel-Aviv University
 YIJIA WENG*, CFCS, Peking University & AICFVE, Beijing Film Academy
 DANI LISCHINSKI, The Hebrew University of Jerusalem & AICFVE, Beijing Film Academy
 DANIEL COHEN-OR, Tel-Aviv University & AICFVE, Beijing Film Academy
 BAOQUAN CHEN†, CFCS, Peking University & AICFVE, Beijing Film Academy

Transferring the motion style from one animation clip to another, while preserving the motion content of the latter, has been a long-standing problem in character animation. Most existing data-driven approaches are supervised and rely on paired data, where motions with the same content are performed in different styles. In addition, these approaches are limited to transfer of styles that were seen during training.

In this paper, we present a novel data-driven framework for motion style transfer, which learns from an unpaired collection of motions with style labels, and enables transferring motion styles not observed during training. Furthermore, our framework is able to extract motion styles directly from videos, bypassing 3D reconstruction, and apply them to the 3D input motion.

Our style transfer network encodes motions into two latent codes, for content and for style, each of which plays a different role in the decoding (synthesis) process. While the content code is decoded into the output motion by several temporal convolutional layers, the style code modifies deep features via temporally invariant adaptive instance normalization (AdaIN).

Moreover, while the content code is encoded from 3D joint rotations, we learn a common embedding for style from either 3D or 2D joint positions, enabling style extraction from videos.

Our results are comparable to the state-of-the-art, despite not requiring paired training data, and outperform other methods when transferring previously unseen styles. To our knowledge, we are the first to demonstrate style transfer directly from videos to 3D animations - an ability which enables one to extend the set of style examples far beyond motions captured by MoCap systems.




Fig. 1. Style transfer from video to animation. Our network, which is trained with unpaired motion sequences, learns to disentangle content and style. Our trained generator is able to produce a motion sequence that combines the content of a 3D sequence with the style extracted directly from a video.

CCS Concepts: • **Computing methodologies** → **Motion processing**; **Neural networks**.

Additional Key Words and Phrases: motion analysis, style transfer

ACM Reference Format:

Kfir Aberman, Yijia Weng, Dani Lischinski, Daniel Cohen-Or, and Baoquan Chen. 2020. Unpaired Motion Style Transfer from Video to Animation. *ACM Trans. Graph.* 39, 4, Article 64 (July 2020), 12 pages. <https://doi.org/10.1145/3386569.3392469>

1 INTRODUCTION

The style of human motion may be thought of as the collection of motion attributes that convey the mood and the personality of

*equal contribution
 †corresponding author

Authors' addresses: Kfir Aberman, kfiraberman@gmail.com; Yijia Weng, halfsummer11@gmail.com; Dani Lischinski, danix3d@gmail.com; Daniel Cohen-Or, cohenor@gmail.com; Baoquan Chen, baoquan@pku.edu.cn.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.
 © 2020 Association for Computing Machinery.
 0730-0301/2020/7-ART64 \$15.00
<https://doi.org/10.1145/3386569.3392469>

ACM Trans. Graph., Vol. 39, No. 4, Article 64. Publication date: July 2020.

ry)

Output



Challenges

- Data are not always available...



Russell from movie "Up" Bonnie from "Toy Story 4"



When can I go home....

I'm losing my patience.



Challenges

- Given the difficulties of motion capturing children, can we just use adult mocap data on child characters?
- Can we convince the viewers that the motions are from children?
- Jain et al[2016] found that viewers can differentiate child motion from adult motion by viewing point light display videos.



Key Ideas

- Adapt adult motions to child motions that captures both the postures and the timing of child motions.
- Achieve this goal without temporally aligned data given that adult motions and child motions can be drastically different.



Overall Architecture

Adversarial loss

$$\mathcal{L}_{G_{c2a}} = 0.5 * \mathbb{E}_{c \sim p(c)} [D_a(G_{c2a}(c)) - 1]$$

$$\mathcal{L}_{G_{a2c}} = 0.5 * \mathbb{E}_{a \sim p(a)} [D_c(G_{a2c}(a)) - 1]$$

Cycle loss

$$\mathcal{L}_{cycle,c} = G_{a2c}(G_{c2a}(c)) - c$$

$$\mathcal{L}_{cycle,a} = G_{c2a}(G_{a2c}(a)) - a$$

Coherence loss


$$\mathcal{L}_{coherence,a} = \sum_t \sum_{DOF} \|G_{a2c}(a)(t) - G_{a2c}(a)(t-1)\|$$

$$\mathcal{L}_{coherence,c} = \sum_t \sum_{DOF} \|G_{c2a}(c)(t) - G_{c2a}(c)(t-1)\|$$

Transition loss


$$y = G_{c2a}(c)$$

$$\mathcal{L}_{transition,c} = \sum_t \sum_{DOF} \|y_i(t_{overlap:end}) - y_{i+1}(0 : t_{overlap})\|$$




Results: *Punch*


Input adult



Ours




Reference child




Results: *Run as fast as you can*


Input adult



Ours




Reference child




Results: Walk as

Input adult



Reference child



Adult2child: Motion Style Transfer using CycleGANs

Yuzhu Dong
University of Florida
yuzhudo1g@ufl.edu

Andreas Aristidou
University of Cyprus
RISE Research Centre
a.aristidou@ieee.org

Ariel Shamir
The Interdisciplinary Center Herzliya
arik@idc.ac.il

Moshe Mahler
Carnegie Mellon University
mmahler@andrew.cmu.edu

Eakta Jain
University of Florida
ejain@cise.ufl.edu

ABSTRACT

Child characters are commonly seen in leading roles in top-selling video games. Previous studies have shown that child motions are perceptually and stylistically different from those of adults. Creating motion for these characters by motion capturing children is uniquely challenging because of confusion, lack of patience and regulations. Retargeting adult motion, which is much easier to record, onto child skeletons, does not capture the stylistic differences. In this paper, we propose that style translation is an effective way to transform adult motion capture data to the style of child motion. Our method is based on CycleGAN, which allows training on a relatively small number of sequences of child and adult motions that do not even need to be temporally aligned. Our *adult2child* network converts short sequences of motions called motion words from one domain to the other. The network was trained using a motion capture database collected by our team containing 23 locomotion and exercise motions. We conducted a perception study to evaluate the success of style translation algorithms, including our algorithm and recently presented style translation neural networks. Results show that the translated adult motions are recognized as child motions significantly more often than adult motions.

CCS CONCEPTS

• Computing methodologies → Motion capture; Motion processing; Machine learning; Animation.

KEYWORDS

Style transfer, CycleGAN, Unpaired data, Motion Analysis

ACM Reference Format:

Yuzhu Dong, Andreas Aristidou, Ariel Shamir, Moshe Mahler, and Eakta Jain. 2020. Adult2child: Motion Style Transfer using CycleGANs. In *Motion, Interaction and Games (MIG '20)*, October 16–18, 2020, Virtual Event, SC, USA. ACM, New York, NY, USA, 11 pages. <https://doi.org/10.1145/3424636.3426909>

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.
MIG '20, October 16–18, 2020, Virtual Event, SC, USA
© 2020 Association for Computing Machinery.
ACM ISBN 978-1-4503-8171-0/20/10...\$15.00
<https://doi.org/10.1145/3424636.3426909>

1 INTRODUCTION

Children in the age group 8 to 11 years old have been found to spend as much as 8 hours weekly on video games [Johnson 2018]. Such trends make children important markets for the video game and electronic entertainment industry. Games such as Just Dance, by Ubisoft, and Ring Fit Adventure, by Nintendo, are designed to motivate children to exercise. As a result, there is a need to identify methods for synthesizing child motions.

Keyframing requires hours of manual effort from trained animators to create realistic and compelling motion. Motion capture (mocap), the leading technology for creating animated characters from actual human motion data, has the advantage of maintaining realism, capturing subtle secondary movements, and following real world physics [Menache 2000]. However, motion capturing children is full of difficulties. Children get confused with the instructions, lack patience, and are hard to collaborate with [Piaget 2015], especially at very young ages. These difficulties are the reason there are few online motion repositories. The most well-known mocap repositories, such as the CMU [2020] and OSU [2020] databases, consist only of adult motions. Currently, the Kinder-gator [Aloba et al. 2018] and the Human Motion Database [Guerra-Filho and Biswas 2012] are the only publicly accessible repositories that contain child motion. For games in particular, an abundance of action types, repetitions and variations allows for realism in real time play.


One way to overcome this scarcity of child motion data is to retarget easily available motion from adults to a child sized skeleton. However, retargeting mostly involves changes in the dimensions of limbs, so mapping adult motion directly on child characters fails to transfer the *style* and nuances of the children motion such as speed and variability. Style translation, that is, learning a mapping between two labeled motion capture sequences, has been extensively studied, starting with approaches by Brand and Hertzmann [2000] and Gleicher [1998] to recent advances made by deep neural networks [Aberman et al. 2020; Du et al. 2019a; Holden et al. 2017, 2016, 2015; Mason et al. 2018; Smith et al. 2019].

In this paper we devise an adult-to-child motion translation algorithm based on the CycleGAN [Zhu et al. 2017] architecture. CycleGAN has been successfully used in the past for transforming image styles *without* paired training data. This characteristic is critical for adult-to-child translation due to the very limited availability of child data. Generative Adversarial Networks (GANs) have rarely been used in character animation because of the difficulty to train a mapping that exhibits temporal dynamic behavior and generates temporally coherent and realistic movements. We show



Introduction

Contextual Analysis




Introduction

Deep motifs and motion signatures




Motion Words and Motifs



Motion Analysis

Triplet Loss Network



Triplet Loss Network

The loss for a single triplet defined as:


$$L(x^a, x^p, x^n) = [\|f(x^a) - f(x^p)\|_2^2 + \alpha - \|f(x^a) - f(x^n)\|_2^2]$$

x^a - anchor motion word

x^p - positive sample


x^n - negative sample

α - margin that is enforced between positive and negative samples





Motion Analysis

Triplet Loss Network





Motion Analysis


Triplet Loss Network




Feature Space Motion Words



Bag-of-motifs Motion Signatures




Motion Signatures





Motion Signatures




Salsa





Modern



Greek Folk





Indian Bollywood





Deep motifs and motion signatures

Fine-grained details




Deep motifs and motion signatures

Fine-grained details





Deep motifs and motion signatures


Motion Segmentation



Deep motifs and motion signatures
Organizing large collections: *Dance ethnography*



Deep motifs and moti Unexpected asso



Deep Motifs and Motion Signatures

ANDREAS ARISTIDOU, The Interdisciplinary Center
 DANIEL COHEN-OR, Tel-Aviv University
 JESSICA K. HODGINS, Carnegie Mellon University
 YIORGOS CHRYSANTHOU, University of Cyprus & RISE Research Center
 ARIEL SHAMIR, The Interdisciplinary Center




Fig. 1. Our motion signatures are defined using a deep analysis of motion words and selection of motion-motifs. Each signature is represented by a horizontal bar that shows the frequency of motion-motifs using color coding from red (high) through blue (low) to gray (zero). Note that the signatures represent distributions and not time evolution - the horizontal axis is not temporal. Three signatures of sequences are shown for each motion type - as can be seen, motions of similar type produce similar signatures where many motifs align. The rectangles in the sequence of motion to the left of the signatures illustrate motion words associated with the motifs shown by the corresponding arrow above the signature.

Many analysis tasks for human motion rely on high-level similarity between sequences of motions, that are not an exact matches in joint angles, timing, or ordering of actions. Even the same movements performed by the same person can vary in duration and speed. Similar motions are characterized by similar sets of actions that appear frequently. In this paper we introduce *motion motifs* and *motion signatures* that are a succinct but descriptive representation of motion sequences. We first break the motion sequences to short-term movements called motion words, and then cluster the words in a high-dimensional feature space to find motifs. Hence, motifs are words that are both common and descriptive, and their distribution represents the motion sequence. To cluster words and find motifs, the challenge is to define an effective feature space, where the distances among motion words are semantically meaningful, and where variations in speed and duration are handled. To this end, we use a deep neural network to embed the motion

Authors' addresses: Andreas Aristidou, The Interdisciplinary Center, Kanfei Nesharim, Herzliya, Israel, 4610101, a.aristidou@iee.org; Daniel Cohen-Or, Tel-Aviv University, Ramat Aviv, Tel-Aviv, Israel, 6997801, cohenor@gmail.com; Jessica K. Hodgins, Carnegie Mellon University, 5000 Forbes Ave, Pittsburgh, USA, PA 15213, jkh@cs.cmu.edu; Yiorgos Chrysanthou, University of Cyprus & RISE Research Center, 75, Kallipoleos, Nicosia, Cyprus, 1678, yiorgos@cs.ucy.ac.cy; Ariel Shamir, The Interdisciplinary Center, Kanfei Nesharim, Herzliya, Israel, 4610101, arik@idc.ac.il.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.
 © 2018 Copyright held by the owner/author(s). Publication rights licensed to ACM.
 0730-0301/2018/11-ART187 \$15.00
<https://doi.org/10.1145/3272127.3275038>

words into feature space using a triplet loss function. To define a signature, we choose a finite set of motion-motifs, creating a bag-of-motifs representation for the sequence. Motion signatures are agnostic to movement order, speed or duration variations, and can distinguish fine-grained differences between motions of the same class. We illustrate examples of characterizing motion sequences by motifs, and for the use of motion signatures in a number of applications.

CCS Concepts: • **Computing methodologies** → **Motion capture; Motion processing**

Additional Key Words and Phrases: Animation, Motion Word, Motif, Motion Signature, Convolutional Network, Triplet Loss.

ACM Reference Format:
 Andreas Aristidou, Daniel Cohen-Or, Jessica K. Hodgins, Yiorgos Chrysanthou, and Ariel Shamir. 2018. Deep Motifs and Motion Signatures. *ACM Trans. Graph.* 37, 06, Article 187 (November 2018), 13 pages. <https://doi.org/10.1145/3272127.3275038>

1 INTRODUCTION

The availability of human motion data in big repositories is growing with the emergence of simpler motion capture devices [Mehta et al. 2017; Pavlakos et al. 2017]. Content-based techniques and searching methods become essential to facilitate the use of such data. However, motion data is not always annotated or parameterized, hindering the semantic analysis of motions, the search in motion datasets, and the comparison between motion data. Working directly with the motion sequences is challenging due to the high-dimensional, temporal, nature of the motion, their large variations

ACM Trans. Graph., Vol. 37, No. 06, Article 187. Publication date: November 2018.



Introduction

Contextual motion analysis



<https://youtu.be/weSvQCGuTvU>



Dance is “a performing-art form consisting of purposefully selected and controlled rhythmic sequences of human movements”. These movements have aesthetic and often symbolic value.

S. H. Fraleigh, *Dance and the Lived Body: A Descriptive Aesthetics*.
University of Pittsburgh Press, 1987.

Dance is “a performing-art form consisting of purposefully selected and controlled rhythmic sequences of human movements”. These movements have aesthetic and often symbolic value.

S. H. Fraleigh, *Dance and the Lived Body: A Descriptive Aesthetics*.
University of Pittsburgh Press, 1987.


The premise of our work

Music-driven motion synthesis




Our network


Music-driven motion synthesis




Our network: *Pose component* Music-driven motion synthesis




Our network: *Motif component* Music-driven motion synthesis




Our network: *Motif component* Music-driven motion synthesis



Our network: *Motif component* Music-driven motion synthesis



Our network: *Choreography component* Music-driven motion synthesis



Our network: *Losses and other important parameters*

Music-driven motion synthesis

- Audio representation (Librosa Library [Ellis 2007]):
 - Rhythmic features $\mathbf{a}_r^t \in \mathbb{R}^4$
 - Spectral features $\mathbf{a}_s^t \in \mathbb{R}^{87}$
- Pose representation: $\mathbf{f}^t = [\mathbf{f}_t, \mathbf{f}_q] \in \mathbb{R}^{3+4J}$
 - the root displacement $\mathbf{f}_t \in \mathbb{R}^3$
 - joint rotations in unit quaternions, $\mathbf{f}_q \in \mathbb{R}^{4J}$, for $J = 31$ joints
- Motif representation:
 - $\mathbf{m}^t \in \mathbb{R}^d$, where $d = 184$ universal features
 - motion words are segmented on the beat; time-scaled to 13 frames

Our network: *Losses and other important parameters*

Music-driven motion synthesis

- The input to the network at time t is:

$$\mathbf{n}^t = [\mathbf{a}_r^t, \mathbf{m}^t, \mathbf{f}^t, \mathbf{c}^t] \in \mathbb{R}^{4+d+4J+2}$$

- where $\mathbf{c}^t \in \{0,1\}^2$ is a binary vector representing the left and the right foot contact labels

Our network: *Losses and other important parameters*

Music-driven motion synthesis

- **Foot Sliding Cleaning (pose level)**
 - predict foot contact labels
- **Motion Diversity (motif level)**
 - AdaIN layer to inject style variation using \mathbf{a}_s^t
- **Motion Perceptual-Loss (motif level)**
 - controls the content of motion words
- **Motif Transition matrix (choreography level)**
 - describes probability of the temporal connectivity between consecutive motion motifs
- **Signature difference (choreography level)**
 - compares the current signature to the target signature

Results

Music-driven motion synthesis



Results

Dance synthesis at different bpm



Results

Dance synthesis with variation



Results: *Ablation study*

Spectral audio for subtle variations



More Results


Music-driven motion synthesis





Modern Dance

Applications


Recreate an existing dance




Other Applications



Other Applications




Salsa Style: Mambo




Other Applications

SparsePoser: Real-time full-body motion from sparse data



Submission ID: 678



Other Applications




Dance Central 4 - Shape of You




Just Dance® 2019 - Me Me Me

Other Applications



Other Applications




AICP sponsor reel by Method Studios
https://youtu.be/fd_9qwpzVBQ




Dancing Phantoms by Kiyan Frootan
<https://youtu.be/Ig7A6fZrWyM>

Other Applications




PARKER • Become the Fool
<https://youtu.be/5oJUfpB4f90>






Other Applications



Other Applications



Join our team at the *Graphics & Extended Reality Lab*



Andreas Aristidou Assistant Professor

Office: FST01, Room B113


Office hours: Only after appointment

email: andarist@ucy.ac.cy

Research Interests:

Machine Learning, Deep Learning and its applications in Computer Graphics and Character Animation, Virtual/Augmented Reality, Digital Heritage

<https://www.cs.ucy.ac.cy/~andarist>



**GRAPHICS &
EXTENDED REALITY**
LAB

Join our team at the *Graphics & Extended Reality Lab*

The screenshot shows the website for the Graphics Lab at the University of Cyprus. At the top, there is a navigation menu with links for Home, Lab, People, Portfolio, Projects, Publications, Vacancies, Learning, and Contact us, along with a Login button. A prominent banner reads "VACANCIES AVAILABLE". Below this, the text states: "The Graphics and Extended Reality Lab's research interests include machine learning, rendering, virtual reality and animation. The lab is part of the Computer Science Department of the University of Cyprus and it occupies rooms 122 and 123 in the FST 01 building in the new campus. It was founded in 2002 and it currently has a number of funded projects and several researchers." Three news items are listed below:

- CASA 2023**: "Our lab is co-organizing the 36th international conference in Character Animation and Social Agents (CASA 2023)" dated 16 Nov 2022. The text continues: "The University of Cyprus, with the CYENS - Centre of Excellence, are co-organizing the 36th International Conference on Computer Animation and Social Agents (CASA 2023), which will be held in May 29-31, 2023 in Limassol, Cyprus. Check out the [conference website](#) for more details, and save the important dates! Looking forward to see you all in Limassol, Cyprus."
- SIGGRAPH 2022**: "Our paper 'CCP: Configurable Crowd Profiles' has been presented at SIGGRAPH 2022 conference in Vancouver, Canada" dated 08 Aug 2022. The text continues: "Members of our team, along with our colleagues from CYENS Centre of Excellence, presented their work at SIGGRAPH 2022 conference in Vancouver, Canada. They introduced a new learning based method that models crowd behaviors in simulated environments. Check it out here: [paper](#)"
- ACM/Eurographics SCA**: "Our recent work on pose representation has been accepted at the ACM/Eurographics SCA conference!" dated 27 Jul 2022. The text continues: "In this work we present an efficient method for training neural networks, specifically designed for character animation. We"

The **Graphics and Extended Reality Lab** at the University of Cyprus, part of the Computer Science Department, conducts research in areas such as machine learning, rendering, virtual reality and animation.

Founded in 2002, the lab is located in rooms 122 and 123 of the FST 01 building on the university's new campus, and is staffed by two faculty members and twelve research associates. It also has several active, funded projects.

Website: <https://graphics.cs.ucy.ac.cy/>

Paper Presentations

- A Style-Based Generator Architecture for Generative Adversarial Networks
- DreamBooth: Fine Tuning Text-to-Image Diffusion Models for Subject-Driven Generation
- GANimator: Neural Motion Synthesis from a Single Sequence
- Human Motion Diffusion as a Generative Prior



Thank you!

That's all folks!!!

